

IN THE CLAIMS




Please amend the claims as follows:

Claim 1 (Currently Amended): An image processing apparatus configured to reproduce pixels representative of a colour image from groups of colour component signal samples representing the image, each of said groups representing two of said pixels and comprising two input luminance values, one for each pixel, and first and second input chrominance values formed by averaging first and second chrominance values for each pixel, said apparatus comprising:

a de-compressing processor configured to receive said groups of colour component signal samples and to generate reproduced pixels, each comprising three colour component values, and

a detail detection processor configured to detect whether one of said first and second pixels is representative of substantially white or substantially black and the other of said pixels is not representative of substantially white or substantially black, and if so, arranging for said de-compressing processor,

to assign to first and second chrominance values for the one of said first and second




Claim 2 (Previously Presented): An image processing apparatus as claimed in Claim 1, wherein said detail detection processor is configured to compare first and second input luminance values of each group with white and black threshold values, each representative of substantially white and substantially black luminance values respectively and to determine whether one of said pixels is representative of substantially white or substantially black and the other of said pixels is not representative of substantially white or substantially black, in accordance with the result of the comparison.

Claim 3 (Previously Presented): An image processing apparatus as claimed in Claim 2, wherein the comparison performed by said detail detection processor comprises:

determining whether said first input luminance value exceeds said white threshold value or said first input luminance value is less than said black threshold value, and
determining whether said second input luminance value exceeds said white threshold value or said second input luminance value is less than said black threshold value.

Claim 4 (Canceled).




to form first and second output chrominance values from said first and second input pixels by calculating from each of the colour components of each pixel first and second chrominance values, and averaging the values of the first chrominance values for the first and second input pixels and averaging the second chrominance values for the first and second pixels, to produce said first and second output chrominance values respectively, said output colour component signal samples being formed for said first and second pixels from said corresponding luminance value for each pixel and said first and second output chrominance values, and

an image processing apparatus comprising

a de-compressing processor configured to receive said groups of colour component signal samples and to generate reproduced pixels, each comprising three colour component values, and

a detail detection processor configured to detect whether one of said first and second pixels is representative of substantially white or substantially black and the other of said pixels is not representative of substantially white or substantially black, and if so, arranging for said de-compressing processor,




pixels representative of a colour image are fed to said colour processor and groups of signal samples representing said pixels produced by said colour processor are stored in a display memory, and groups of signal samples are read out from said display memory and processed by said image processing apparatus to generate reproduced pixels before being displayed by a display device.

Claim 6 (Original): A display device as claimed in Claim 5, wherein said display is a Liquid Crystal Display (LCD).

Claim 7 (Previously Presented): A display device as claimed in Claim 5, wherein reproduced pixels generated by said image processing apparatus are converted to analogue form by an analogue-to-digital converter for display on said LCD display.

Claim 8 (Previously Presented): A portable computing or communicating device having a display device according to Claim 5.



one for each pixel, and first and second input chrominance values formed by averaging first and second chrominance values for each pixel, said method comprising:

receiving one of said groups of signal samples representative of first and second pixels of the imaging unit;[[,]]



detecting whether one of said first and second pixels is representative of substantially white or substantially black and the other of said pixels is not representative of substantially white or substantially black, and if so

reproducing to first and second chrominance values for the one of said first and second pixels representing substantially white or black the value of zero, [[and]]

reproducing to first and second chrominance values for the other of said first and second pixels the value of twice the value of the first and second input chrominance values respectively, and

generating three colour components for each of said first and second reproduced pixels from the input luminance values and the assigned chrominance values; [[,]] and otherwise

generating three colour components of each of said first and second reproduced pixels



calculating from each of the colour components of each pixel first and second chrominance values, and

averaging the value of the first chrominance values of the first and second pixels and averaging the second chrominance values of the first and second pixels, to produce said first and second output chrominance values respectively, said output colour component signal samples being formed for said first and second input pixels from said corresponding luminance values for each input pixel and said first and second output chrominance values.

Claims 14-15 (Canceled).

